

SEARCH REQUEST FORM

✓ 9-23


Requestor's Name: LARA KECLEY Serial Number: 81744,444
 Date: 9-2-97 Phone: 8-0450 Art Unit: 1211

Search Topic:

Please write a detailed statement of search topic. Describe specifically as possible the subject matter to be searched. Define any terms that may have a special meaning. Give examples or relevant citations, authors, keywords, etc., if known. For sequences, please attach a copy of the sequence. You may include a copy of the broadest and/or most relevant claim(s).

Please search attached claim 1
 wherein a Tc-99m complex is formed.
 (radioactive technetium)

Elected species is:



(23)

13

10

Q

10

60

10

60

10

26

87

STAFF USE ONLY

Date completed: 9-9-97Searcher: 100 X

Terminal time: _____

Elapsed time: _____

CPU time: _____

Total time: _____

Number of Searches: _____

Number of Databases: _____

Search Site

 STIC CM-1 Pre-S

Type of Search

 N.A. Sequence A.A. Sequence Structure Bibliographic

Vendors

 IG 8 45 STN 6 Dialog 10 APS 26 Geninfo 87 SDC DARC/Questel Other

Kelley 08/744, 444

=> d his

(FILE 'REGISTRY' ENTERED AT 07:41:57 ON 09 SEP 1997)

DEL HIS Y
ACT KELLEY/A

L1 SCR 1921 AND 1991

L2 STR

L3 5 SEA FILE=REGISTRY SSS FUL L2 AND L1

ACT KELLEY2/A

L4 STR

SCR 1568 AND 1838 AND 1929

L5 4 SEA FILE=REGISTRY SSS FUL L4 AND L5

Kelley 08/744, 444

=> fil regf
'REGF' IS NOT A VALID FILE NAME
SESSION CONTINUES IN FILE 'REGISTRY'

=> fil reg
FILE 'REGISTRY' ENTERED AT 08:42:34 ON 09 SEP 1997
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 1997 American Chemical Society (ACS)


STRUCTURE FILE UPDATES: 09 SEP 97 HIGHEST RN 193672-56-9
DICTIONARY FILE UPDATES: 09 SEP 97 HIGHEST RN 193672-56-9

TSCA INFORMATION NOW CURRENT THROUGH JUNE 1997

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

=> d que stat 13
L1 SCR 1921 AND 1991
L2 STR

Tc Compounds



NODE ATTRIBUTES:

CONNECT IS E1 RC AT 20
DEFAULT MLEVEL IS ATOM
GGCAT IS MCY SAT AT 16
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 5

STEREO ATTRIBUTES: NONE

L3 5 SEA FILE=REGISTRY SSS FUL L2 AND L1

100.0% PROCESSED 567 ITERATIONS
SEARCH TIME: 00.00.02


5 ANSWERS

=> d ide can 13 1-5

L3 ANSWER 1 OF 5 REGISTRY COPYRIGHT 1997 ACS
RN 191111-50-9 REGISTRY
CN Technetate(1-)-99Tc, [(1,2,3,4,5-.eta.)-1-[[[5-(3-amino-3-
carboxylatocyclobutyl)pentyl]amino]carbonyl]-2,4-cyclopentadien-1-
yl]tricarbonyl-, hydrogen (9CI) (CA INDEX NAME)
MF C19 H22 N2 O6 Tc . H
CI CCS
SR CA

Kelley 08/744, 444

LC STN Files: CA, CAPLUS




● H⁺

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 127:51001

L3 ANSWER 2 OF 5 REGISTRY COPYRIGHT 1997 ACS
RN 191111-48-5 REGISTRY
CN Technetate(1-)-99Tc, [(1,2,3,4,5-.eta.)-1-[[[5-(3-amino-3-
carboxylatocyclobutyl)-4-pentenyl]amino]carbonyl]-2,4-cyclopentadien-
1-yl]tricarbonyl-, hydrogen (9CI) (CA INDEX NAME)
MF C19 H20 N2 O6 Tc . H
CI CCS
SR CA
LC STN Files: CA, CAPLUS




● H^+

1 REFERENCES IN FILE CA (1967 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 127:51001

L3 ANSWER 3 OF 5 REGISTRY COPYRIGHT 1997 ACS
 RN 191111-45-2 REGISTRY
 CN Technetate(1-)-99Tc, [(1,2,3,4,5-.eta.)-1-[[[5-(3-amino-3-carboxylatocyclobutyl)-4-pentynyl]amino]carbonyl]-2,4-cyclopentadien-1-yl]tricarbonyl-, hydrogen (9CI) (CA INDEX NAME)
 MF C19 H18 N2 O6 Tc . H
 CI CCS
 SR CA
 LC STN Files: CA, CAPLUS




● H^+

Kelley 08/744, 444

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 127:51001

L3 ANSWER 4 OF 5 REGISTRY COPYRIGHT 1997 ACS
RN 191111-42-9 REGISTRY
CN Technetate(1-)-99Tc, [1-amino-3-[5-(mercapto-.kappa.S)pentyl]cyclobutanecarboxylato(2-)][[2,2'-(methylimino-.kappa.N)bis[ethanethiolato-.kappa.S]](2-)]oxo-, hydrogen (9CI) (CA INDEX NAME)
MF C15 H28 N2 O3 S3 Tc . H
CI CCS
SR CA
LC STN Files: CA, CAPLUS




H⁺

1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 127:51001

L3 ANSWER 5 OF 5 REGISTRY COPYRIGHT 1997 ACS
RN 191111-39-4 REGISTRY
CN Technetate(1-)-99Tc, [1-amino-3-[5-(mercapto-.kappa.S)-1-pentenyl]cyclobutanecarboxylato(2-)][[2,2'-(methylimino-.kappa.N)bis[ethanethiolato-.kappa.S]](2-)]oxo-, hydrogen (9CI) (CA INDEX NAME)
MF C15 H26 N2 O3 S3 Tc . H
CI CCS
SR CA
LC STN Files: CA, CAPLUS


Kelley 08/744, 444



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 127:51001

=> d que stat 16
L4 STR



REP G1=(1-4) C
NODE ATTRIBUTES:
CONNECT IS E1 RC AT 20
DEFAULT MLEVEL IS ATOM
GGCAT IS MCY SAT AT 16
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 7

STEREO ATTRIBUTES: NONE
L5 SCR 1568 AND 1838 AND 1929
L6 4 SEA FILE=REGISTRY SSS FUL L4 AND L5

100.0% PROCESSED 54065 ITERATIONS
SEARCH TIME: 00.00.53


4 ANSWERS

Kelley 08/744, 444

=> d ide can 16 1-4

L6 ANSWER 1 OF 4 REGISTRY COPYRIGHT 1997 ACS
RN 191166-85-5 REGISTRY
CN Cyclohexanecarboxylic acid, 1-amino-4-[2-(iodo-123I)ethenyl]-, (E)-
(9CI) (CA INDEX NAME)
FS 3D CONCORD; STEREOSEARCH
MF C9 H14 I N O2
SR CA
LC STN Files: CA, CAPLUS

Double bond geometry as shown.




1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 127:51001

L6 ANSWER 2 OF 4 REGISTRY COPYRIGHT 1997 ACS
RN 191166-78-6 REGISTRY
CN Cyclobutanecarboxylic acid, 1-amino-3-[2-(iodo-123I)ethenyl]-, (E)-
(9CI) (CA INDEX NAME)
FS 3D CONCORD; STEREOSEARCH
MF C7 H10 I N O2
SR CA
LC STN Files: CA, CAPLUS

Double bond geometry as shown.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)


REFERENCE 1: 127:51001

L6 ANSWER 3 OF 4 REGISTRY COPYRIGHT 1997 ACS
RN 191111-21-4 REGISTRY
CN Cyclopentanecarboxylic acid, 1-amino-3-[2-(iodo-123I)ethenyl]-, (E)-
(9CI) (CA INDEX NAME)
FS 3D CONCORD; STEREOSEARCH
MF C8 H12 I N O2

Kelley 08/744, 444

SR CA
LC STN Files: CA, CAPLUS


Double bond geometry as shown.



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 127:51001

L6 ANSWER 4 OF 4 REGISTRY COPYRIGHT 1997 ACS
RN 191110-95-9 REGISTRY
CN Cyclobutanecarboxylic acid, 1-amino-3-(fluoro-18F-methyl)- (9CI)
(CA INDEX NAME)
FS 3D CONCORD
MF C6 H10 F N O2
SR CA
LC STN Files: CA, CAPLUS



1 REFERENCES IN FILE CA (1967 TO DATE)
1 REFERENCES IN FILE CAPLUS (1967 TO DATE)

REFERENCE 1: 127:51001

=> fil hcaplus
'HCAPLUS' IS NOT A VALID FILE NAME
SESSION CONTINUES IN FILE 'REGISTRY'

=> fil hcaplus
FILE 'HCAPLUS' ENTERED AT 08:43:05 ON 09 SEP 1997
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 1997 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE COVERS 1967 - 9 Sep 1997 VOL 127 ISS 11
FILE LAST UPDATED: 9 Sep 1997 (970909/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

Improved currency of Japanese patents. See HELP JCURR.

Attention ACS Las Vegas Attendees: Meeting Abstracts for Las Vegas
ACS National Meeting Now in CAPLUS!
'OBI' IS DEFAULT SEARCH FIELD FOR 'HCAPLUS' FILE

=> s 13
L7 1 L3

=> s 16
L8 1 L6

=> s 17 or 18
L9 1 L7 OR L8

=> d all 19

L9 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 1997 ACS
AN 1997:436060 HCAPLUS
DN 127:51001
TI Amino acid analogs for tumor imaging
IN Goodman, Mark M.; Shoup, Timothy
PA Emory University, USA
SO PCT Int. Appl., 81 pp.
CODEN: PIXXD2
PI WO 9717092 A1 970515
DS W: AU, CA, JP
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT,
SE
AI WO 96-US18455 961108
PRAI US 95-554906 951109
DT Patent
LA English
IC ICM A61K051-00
ICS C07C061-06; C07C061-08; C07C229-00; C07F005-00
CC 34-2 (Amino Acids, Peptides, and Proteins)
Section cross-reference(s): 8, 29
OS MARPAT 127:51001
AB Amino acid analogs R₂CyHzC(CH₂R₁)C(NH₂)CO₂H [R₁ = X (F, I, Br, or
their radioisotopes, or At), XCH:CH, haloalkyl, or certain
99mTc-complex contg. residues; R₂ = H, haloalkyl, or certain
99mTc-complex contg. residues; y = 1, 2; z = 1-4] were prep'd. for
use in tumor imaging by positron emission tomog. An esp. preferred
amino acid compd. is [18F]-1-amino-3-fluorocyclobutane-1-carboxylic
acid (FACBC), which was prep'd. from benzyl chloride,
epichlorohydrin, and di-Et malonate. The distribution of
radioactivity in tumor bearing rats was studied using FACBC.
ST amino acid analog prepn tumor imaging; technetium amino acid prepn
tumor imaging
IT Tumor imaging
(amino acid analogs for tumor imaging)
IT Amino acids, preparation
RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL
(Biological study); PREP (Preparation); USES (Uses)
(analogs; amino acid analogs for tumor imaging)
IT 191110-56-2P
RL: BAC (Biological activity or effector, except adverse); SPN
(Synthetic preparation); THU (Therapeutic use); BIOL (Biological

appf.

study); PREP (Preparation); USES (Uses)
(amino acid analogs for tumor imaging)

IT 62-56-6, Thiourea, reactions 100-39-0, Benzyl bromide 105-53-3,
Diethyl malonate 106-89-8, Epichlorohydrin, reactions 556-52-5,
Oxiranemethanol 4746-97-8, 1,4-Dioxaspiro[4.5]decan-8-one
5162-44-7, 4-Bromo-1-butene 14267-92-6, 5-Chloro-1-pentyne
78461-58-2 191110-82-4

RL: RCT (Reactant)

(amino acid analogs for tumor imaging)

IT 1034-49-7P 2930-05-4P 2987-06-6P 13287-42-8P 13807-91-5P
21736-07-2P 22428-87-1P, 1,4-Dioxaspiro[4.5]decan-8-ol
22539-93-1P 54166-15-3P 54307-67-4P 92829-83-9P 191110-48-2P
191110-49-3P 191110-50-6P 191110-51-7P 191110-52-8P
191110-53-9P 191110-54-0P 191110-55-1P 191110-57-3P
191110-58-4P 191110-59-5P 191110-60-8P 191110-61-9P
191110-62-0P 191110-64-2P 191110-65-3P 191110-66-4P
191110-67-5P 191110-68-6P 191110-69-7P 191110-70-0P
191110-71-1P 191110-72-2P 191110-74-4P 191110-75-5P
191110-76-6P 191110-77-7P 191110-78-8P 191110-79-9P
191110-80-2P 191110-83-5P 191110-85-7P 191110-87-9P
191110-89-1P 191110-90-4P 191110-91-5P 191110-92-6P
191110-93-7P 191110-94-8P 191110-97-1P 191110-98-2P
191110-99-3P 191111-01-0P 191111-02-1P 191111-03-2P
191111-04-3P 191111-06-5P 191111-08-7P 191111-09-8P
191111-10-1P 191111-11-2P 191111-14-5P 191111-15-6P
191111-16-7P 191111-18-9P 191111-19-0P 191111-20-3P
191111-22-5P 191111-23-6P 191111-24-7P 191111-27-0P
191111-28-1P 191111-29-2P 191111-31-6P 191111-32-7P
191111-33-8P 191111-34-9P 191111-35-0P 191111-37-2P
191111-38-3P 191111-40-7P 191111-41-8P 191111-43-0P
191111-49-6P 191111-51-0P 191166-74-2P 191166-80-0P
191166-87-7P 191166-89-9P 191166-91-3P 191166-93-5P
191166-94-6P 191166-95-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(amino acid analogs for tumor imaging)

IT 191110-63-1P 191110-73-3P 191110-81-3P 191110-95-9P
191110-96-0P 191111-00-9P 191111-07-6P 191111-12-3P
191111-13-4P 191111-17-8P 191111-21-4P 191111-25-8P
191111-26-9P 191111-30-5P 191111-36-1P 191166-78-6P
191166-85-5P

RL: SPN (Synthetic preparation); PREP (Preparation)
(amino acid analogs for tumor imaging)

IT 14133-76-7DP, Technetium-99, complexes with
aminocyclobutanecarboxylic acid derivs., preparation
191111-39-4P 191111-42-9P 191111-45-2P
191111-48-5P 191111-50-9P 191111-51-0DP,
complexes with technetium-99 191111-52-1DP, complexes with
technetium-99 191166-96-8DP, complexes with technetium-99
191166-97-9DP, complexes with technetium-99

RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL
(Biological study); PREP (Preparation); USES (Uses)
(amino acid analogs for tumor imaging)